


Shade Structures Canada

A subsidiary of Nirbo Inc.



Shade Structure 24FT X 16FT | S30024

Width	Depth	Height
288" (7315 mm)	192" (4877 mm)	145" (3685 mm)

SSC Shade Structures are made of A500 Grade B Steel. Steel Structure is hot dip galvanized and powder coated.



Shade Structures Canada

2400 Lucknow Drive, Unit 39, Mississauga, ON L5S 1T9, Canada

Tel: 1.905.766.2461

Website: www.shade-structures-canada.com

Email: info@shade-structures-canada.com

4





3

2

1

B

B




NOTES:

- 1- STRUCTURE: HSS TUBES SHALL CONFORM TO ASTM A500, GRADE B
STEEL ANGLES SHALL CONFORM TO ASTM A36
STEEL PLATE SHALL CONFORM TO ASTM A36
- 2- HARDWARE:
BOLTS SHALL CONFORM TO ASTM A325 OR EQUIVALENT
NUTS SHALL CONFORM TO ASTM A563 OR EQUIVALENT
- 3- CONCRETE STENGTH OF FOOTING SHALL BE MINIMUM 3000 PSI
- 2- FINISH:
VERTICAL POSTS, HOT DIP GALVANIZED AND UV RESISTANT
POLYESTER POWDER COAT, ROOF FRAME: UV RESISTANT
POLYESTER POWDER COAT
- 3- ROOF PANELS: AGWAY PROFILE 7-150F - 24 GUAGE
CONFORMS TO ASTM A653 / CSA-S136-07

A

A

NIRBO



ALL INFORMATION CONTAINED
IN THIS DOCUMENT IS PROPERTY
OF NIRBO AND MAY NOT BE
REPRODUCED OR COMMUNICATED
WITHOUT PERMISSION IN WRITING
NIRBO

DATE
(yyyy.mm.dd)

2023.04.18

UNIT
FROM INCH
[MM]

SHADE STRUCTURE 16FTX24FT

SHEET

1 / 2

DRAWING NO

S30024-01-D15

REV


A

4



3

2

1



DETAIL A
SCALE 1:4



SECTION A-A

**NIRBO
AQUATIC INC.**

ALL INFORMATION CONTAINED
IN THIS DOCUMENT IS PROPERTY
OF NIRBO AQUATIC INC. AND
MAY NOT BE REPRODUCED OR
COMMUNICATED WITHOUT
PERMISSION IN WRITING FROM
NIRBO AQUATIC INC.

DATE
(yyyy.mm.dd)
2019.08.21

UNIT
INCH

SHELTER STRUCTURE FOOTING DETAIL
REFERENCE ONLY

SHEET

1 / 1

DRAWING NO

S40001-01

REV

A